



MEYSHER 茂锡®
Auto Parking Specialist
茂锡实业（上海）有限公司

Meysher Industrial Group Ltd

Address : Rm.1008, No.9 Building, Lane 313, Ningguo Rd., Shanghai, China (Mainland) 200090

Mob : +86 13816476992 (WhatsApp) Tel : +86 21 65206329 FAX : +86 21 65437405

Email : info@meysher.com

Skype: meyshergroup




Website



Wechat

www.meysherparking.com





CONTENT

02. About Us

03. PJS Series– Simple Lifting Dydraulic

04. PJS Series– Simple Lifting Electric

05–11. PSH Series– Lift–Sliding Parking

12–13. PPY Series– Horizontal Shifting Parking

14–15 PCS Series– Vertical Lifting Parking

16–18 Project References



ABOUT US

Meysher is one of the largest intelligent parking system manufacturers and suppliers since 2005 as well as we are in concrete brick industry. We are committed to provide integrated planning, customers design, equipment, operation, customer service and complete ecological chains.

Modern shop floors, world-class manufacturing equipment and experienced professionals provide a strong guarantee for top quality products and an annual capacity of 40,000 mechanical parking units.

In 2010 and 2012, the company introduced a complete set of parking system technology from Japan and Germany.

Choose Meysher Parking and You will be more advanced in the field of Parking solutions.

PJS

Simple Lifting Dydraulic



PJS


Simple Lifting Electric

Simple lifting Features:

- Fit for all the places or families , space saving .
- Hydraulic drive, running smoothly, Low noise
- Chains running steadily

Specifications:

- Hydraulic drive or electric drive
- Equipment height : 3300-3600mm
- Car max size : 5000 x 1900 x 1550/1700 mm
- Frequency : 2.2 Kw
- Time for picking up the car : 3-40 s
- Noise below 65db



PSH

Lift-Sliding Parking



Features:

- Low cost, can be built in any places.
- standard modular design, short delivery time
- simple equipment manufacturing , short debugging time
- High safety protection, running smoothly, low noise
- Most widely used



Specifications:

- Electric Chains or steel rope lifting
- Equipment height 3600mm
- Car max size : 5000/5200 x 1900/1950 x 1550/1700/1900mm
- Frequency : 2.2 kw for lifting , 0.2 kw for sliding
- car pick up time : 40-50 s
- Noise below 60db



PSH

Lift-Sliding Parking



PSH

Lift-Sliding Parking



Features:

- Low cost, can be built in any places.
- standard modular design, short delivery time
- simple equipment manufacturing , short debugging time
- High safety protection, running smoothly, low noise
- Most widely used

Specifications:

- Electric Chains or steel rope lifting
- Equipment height 3600mm
- Car max size : 5000/5200 x 1900/1950 x 1550/1700/1900mm
- Frequency : 2.2 kw for lifting , 0.2 kw for sliding
- car pick up time : 40-50 s
- Noise below 60db



PSH

Lift-Sliding Parking



PSH


Lift-Sliding Parking



MEYSHER 茂锡®
Auto Parking Specialist

PSH

Lift-Sliding Parking



Features:

- Low cost, can be built in any places.
- standard modular design, short delivery time
- simple equipment manufacturing , short debugging time
- High safety protection, running smoothly, low noise
- Most widely used

Specifications:

- Electric Chains or steel rope lifting
- Equipment height 3600mm
- Car max size : 5000/5200 x 1900/1950 x 1550/1700/1900mm
- Frequency : 2.2 kw for lifting , 0.2 kw for sliding
- car pick up time : 40-50 s
- Noise below 60db

PSH

Lift-Sliding Parking



Features:

- Low cost, can be built in any places.
- standard modular design, short delivery time
- simple equipment manufacturing , short debugging time
- High safety protection, running smoothly, low noise
- Most widely used

Specifications:

- Electric Chains or steel rope lifting
- Equipment height 3600mm
- Car max size : 5000/5200 x 1900/1950 x 1550/1700/1900mm
- Frequency : 2.2 kw for lifting , 0.2 kw for sliding
- car pick up time : 40-50 s
- Noise below 60db



PPY

Horizontal Shifting Parking



Features:

- Automatic , high layers, Multi car picking
- design by specified space, high density high capacity car packing
- high intelligence , high safety protection
- Automatic rotation when picking the car
- steel structure or steel structure


Specifications:

- parking size 5200 x 1900 x 1550 or 5200 x 1900 x 2050mm
- parking loading weight: 2300 kgs
- car picking time 50-80 s



PPY

Horizontal Shifting Parking



PCS

Vertical Lifting Parking



Features:

- fast car parking or picking, highest capacity
- steady lifting system ,running smoothly,
- high safety standard
- touching screen control,instant monitoring
- multi design options

Specifications:

- parking size 5200 x 1900 x 1550 or 5200 x 1900 x 2050mm
- chains or steel rope lifting
- parking load weight : 2300kgs
- car picking time 50-80 s



PCS

Vertical Lifting Parking

Project References



Features:

- fast car parking or picking, highest capacity
- steady lifting system ,running smoothly,
- high safety standard
- touching screen control, instant monitoring
- multi design options

Specifications:

- parking size 5200 x 1900 x 1550 or 5200 x 1900 x 2050mm
- chains or steel rope lifting
- parking load weight : 2300kgs
- car picking time 50-80 s

